Caramel Nut Fudge Cake

3/4 cup cocoa

3/4 cup sifted brown sugar, firmly packed

11/4 cups scalded milk

2/3 cup shortening 1 teaspoon salt 1 teaspoon vanilla 1 cup granulated sugar

3 eggs

1 teaspoon baking powder

3/4 teaspoon soda 2 cups sifted cake flour

Mix and sift cocoa with brown sugar. Add scalded milk gradually and stir until smooth. Cool. Blend shortening, salt and vanilla. Add granulated sugar gradually and cream well. Add eggs one at a time, beating well after each addition. Sift baking powder and soda with flour. Add flour to creamed mixture alternately with cocoa mixture, mixing after each addition until smooth. Bake in a 9 x 12 x 2-inch, well-greased and floured pan, in preheated 350° Roaster for 55 minutes.

lcing:

1/2 cup granulated sugar

1½ cups brown sugar, firmly packed

1/4 teaspoon salt

3/4 cup top milk

2 tablespoons butter 1 tablespoon cream

1/2 cup nut meats, cut

Combine sugars, salt, milk and butter in a saucepan and bring to a boil, stirring constantly until sugar is dissolved. Cook slowly, keeping crystals washed down from sides of pan, until a small amount forms a soft ball in cold water (232°). Cool to lukewarm (110°). Beat until mixture thickens, add cream and beat until thick enough to spread. Add nuts. If icing hardens, add more cream. Double the recipe if sides of cake are to be iced.

Gingerbread

2½ cups all-purpose flour

1½ teaspoons soda½ teaspoon salt1 teaspoon ginger

1 teaspoon cinnamon

1/2 teaspoon cloves

1/2 cup shortening 1/2 cup sugar

1 egg

1 cup molasses

1 cup hot water

Sift flour once, measure; sift again with soda, salt, spices. Cream shortening and sugar together until light and fluffy. Add beaten egg and molasses. Add sifted dry ingredients and hot water, alternately. Beat until smooth. Pour into well-greased, floured 8 x 10 x 2-inch pan. Bake in preheated 375° Roaster 40 to 45 minutes.

Layer Cake

1 cup sugar

1/2 cup butter or other shortening

2 eggs

1/2 cup milk

2 cups sifted cake flour

2½ teaspoons baking powder

1/4 teaspoon salt 1 teaspoon vanilla

Cream sugar and butter together until light and fluffy. Add eggs one at a time and beat thoroughly. Sift dry ingredients and add alternately with the milk to creamed mixture. Add flavoring. Preheat Roaster to 375°, place cake in two round, well-greased and floured 8-inch layer cake pans and bake 25 to 30 minutes.

Self-Iced Magic Cake

2 squares unsweetened chocolate

11/3 cups condensed milk

(1 can)

11/2 cups sifted cake flour

1/4 teaspoon salt

2 teaspoons baking powder

6 tablespoons butter

1 cup sugar

2 eggs, well beaten ½ teaspoon vanilla

1/2 cup milk

Melt chocolate, add condensed milk and mix well. Line one 9-inch square, or two 8-inch square, well-greased pans with waxed paper. Grease paper. Pour chocolate mixture into bottom of pan. Let cool. Meanwhile, cream butter, add sugar and cream together until light and fluffy. Add beaten eggs and vanilla, beat well. Add dry ingredients alternately with milk, beating after each addition until well blended. Pour cake batter over cooled chocolate mixture carefully. Bake in preheated 350° Roaster about 35 minutes.

COOKIES

Grandmother's Fruit Bars

1/2 cup butter or shortening

11/2 cups brown sugar

2 eggs

21/4 cups all-purpose flour

1 teaspoon baking soda

1/8 teaspoon salt

1/4 teaspoon cloves

1/4 teaspoon nutmeg

1/2 teaspoon cinnamon

2 cups seeded raisins

1 cup chopped, pitted dates

1/2 cup chopped pecans

1/4 cup milk

Cream butter or shortening. Gradually add sugar and cream well. Add eggs, one at a time, and beat thoroughly after the addition of each egg. Sift flour, measure. Sift with soda, salt, cloves, nutmeg and cinnamon. Add to the first mixture with the raisins, dates and nuts. Then add $\frac{1}{4}$ cup milk. Mix well and spread evenly in two well-greased pans, $13\frac{1}{2}$ x $9\frac{1}{2}$ inches. Bake one pan at a time in preheated 400° Roaster for 25 minutes. When cool, cut into bars.

Oatmeal Cookies

1 cup shortening

1 cup sugar

2 eggs

1 teaspoon vanilla

1/4 teaspoon salt

1 teaspoon soda

4 tablespoons sour milk

1 cup raisins

2 cups sifted flour

2½ cups rolled oats, quick type

Blend shortening and sugar together. Add eggs, beating in one at a time. Add vanilla and salt. Mix thoroughly. Dissolve soda in milk. Pour boiling water over raisins and let stand a few minutes. Drain well and add to egg mixture. Measure and sift flour twice. Add to egg mixture alternately with milk. Add rolled oats. Drop from teaspoon on greased cookie sheet, about 1½ inches apart. Bake 15 minutes in preheated 375° Roaster.

Refrigerator Butterscotch Cookies

3½ cups all-purpose flour, sifted

before measuring

1 teaspoon soda

1 teaspoon cream of tartar

1 teaspoon salt

1 cup shortening

2 cups brown sugar, firmly

packed

3 eggs

1 teaspoon vanilla

1 cup nuts, chopped in small pieces

Sift the flour with soda, cream of tartar and salt. Cream shortening and sugar together in mixing bowl. Add whole eggs, one at a time, and beat well after the addition of each egg. Add dry ingredients to sugar and egg mixture, add vanilla. Add nuts last and mix only until nuts are mixed through batter. Shape dough into oblong rolls. Wrap in waxed paper and place in refrigerator until firm. Slice as needed and bake on greased 10 x 14-inch cookie sheet in preheated 400° Roaster 10 to 12 minutes. Remove cookies from cookie sheet while hot and place on wire cake racks to cool. Makes 5 dozen cookies.

Sour Cream Date Cookies

1/2 cup butter

1/2 cup shortening

2 cups brown sugar

2 eggs

1 teaspoon vanilla

41/3 cups sifted all-purpose flour

1 teaspoon soda

1/2 teaspoon salt

2 teaspoons baking powder

1 cup chopped nuts

1 cup sour cream

Granulated Sugar and dates

Cream butter, shortening and sugar together and beat well. Add eggs and beat until light and fluffy. Add flavoring. Add flour sifted with soda, salt and baking powder and nuts to first mixture, alternately with sour cream. Drop by teaspoonfuls on greased cookie sheet. Sprinkle top with granulated sugar and place a half date on top of each cookie. Bake in preheated 375° Roaster for 15 minutes.

PASTRY

Plain Pastry

11/2 cups all-purpose flour, sifted before measuring 1/2 teaspoon salt 1/2 cup shortening

4 tablespoons cold water

Sift the flour with the salt. Cut in the shortening. Do not cut in finely. There should be pieces of fat as large as peas. Add the water all at once, then mix with a fork, cutting through the mixture with each stroke. When all gathers together so that bowl is left clean, dough may be chilled or rolled out at once. Roll out pastry, using plenty of flour on board and on rolling pin. This will make two 8-inch shells or one double crust 8-inch pie.

NOTE: For two 9-inch shells, use 2 cups flour, 3/4 teaspoon salt, 10 tablespoons shortening and 6 to 8 tablespoons water.

Pie Shells

Pie shells are subject to shrinkage. Avoid this by using method described below. Roll out pie pastry about 2 inches wider than the diameter of the pie pan.

Roll pastry on rolling pin, then roll off on pie pan. Fit pastry into pie pan, being careful not to stretch it. Trim edges so that about 1 inch of pastry overlaps the edge of the pan. Turn this overlapping edge under, then flute rim. Prick bottom and sides with fork.

Take a second pie pan, the same size as the first and place it carefully inside the pastry. Press gently so that the fluted edge of the pastry shows very slightly beyond the rim on the second pie pan. Preheat the Roaster to 450°. Bake 8 minutes-remove the inside pie pan and continue baking for 7 to 10 minutes.

Apple Pie

31/2 cups fresh apples 1 cup sugar 4 tablespoons all-purpose flour

1 tablespoon butter Cinnamon or nutmeg

Peel the apples, core, then cut in eighths. The pieces of apple should be at least ½ inch thick. Apples should not be sliced thin as this makes the pie very juicy. Combine sugar with flour. Spread ½ of this evenly over the bottom of a pastry lined pie pan. Add the apples, then pour remaining sugar over them. Add the butter in small bits; also a few dashes of cinnamon or nutmeg. Moisten edge of bottom crust with water, then place top crust over. Trim off top pastry 1 inch from edge of pan. Tuck top pastry under bottom pastry, press edges together, then flute. Brush the top of pie with cream—with the exception of the outside edge of crust. Bake at 425°, 40 to 55 minutes. Makes 8 or 9-inch pie, depending on thickness desired.

Coconut Cream Pie

1/2 cup sugar 5 tablespoons all-purpose flour

1/8 teaspoon salt

3 egg yolks 1 teaspoon vanilla 1 cup shredded coconut 1/4 cup cold milk

Blend sugar, flour, and salt with ¼ cup cold milk. Add to scalded milk, cook over "Low" heat stirring constantly until thickened. Stir slowly into beaten egg yolks and cook two minutes longer, stirring all the while. Remove from range, add vanilla and coconut. Cool, then pour into baked pie shell. Cover top with meringue and bake in preheated 350° Roaster for 15 to 18 minutes.

Meringue

3 egg whites

6 tablespoons sugar

11/2 cups scalded milk

Beat whites until stiff but not dry, add sugar gradually, then beat until the consistency of a creamy marshmallow filling, or until sugar is thoroughly dissolved. Pile on top of pie, then brown in 350° preheated Roaster, about 15 to 18 minutes.

PUDDINGS

Puddings may be baked simply by placing the pan on the rack and baking for the required time—or for a more moist pudding, they may be steamed by placing ½ inch of water in the inset pan. Regardless of method followed, always place pudding on rack.

The cooking time for puddings may vary somewhat from recipes below if cooked with Roaster-Oven meals, because the steam from the other foods may slow down the process.

Apple Crisp Delight

About 1/2 cup butter 6 to 8 apples, quartered 1 teaspoon cinnamon 3/4 cup pastry flour 1 cup sugar

Place apples in well-greased, small heatproof dish. Work together sugar, flour, butter and cinnamon with a pastry blender, or fork, until crumbly; then pack closely over the apples. (If apples are very dry, 2 tablespoons water may be added.) Place in preheated Roaster 350° to 375° and bake 45 minutes to 1 hour. Serve warm with a little whipped cream or lemon sauce. Serves 6 to 8.

Butterscotch Puddina

1/2 cup brown sugar 1/2 cup minute tapioca 3/4 teaspoon vanilla 1/2 teaspoon salt

11/2 cups dates, cut in pieces 3 cups hot water 11/2 cups broken nut meats 4 tablespoons butter

Combine tapioca, salt and hot water, then cook about 15 minutes or until tapioca is clear, stirring frequently. Melt butter in saucepan, add sugar, then stir until melted. Add to tapioca mixture, then add vanilla and dates; pour into greased, small heatproof dish. Preheat Roaster to 350°, place pudding on rack and bake 45 to 60 minutes. After removing pudding from Roaster, stir in the nuts. Serve in sherbet glasses topped with whipped cream.

Chocolate Nut Pudding

1 cup all-purpose flour 2 tablespoons butter 4 teaspoons baking powder

1 cup sugar 1/4 teaspoon salt 1 egg, beaten 1 cup milk

1 teaspoon vanilla 3 squares chocolate, melted 11/4 cups dry bread crumbs

1 cup chopped Brazil nuts

Cream butter and sugar together and stir in beaten egg and vanilla. Mix bread crumbs, flour, baking powder and salt and add alternately with the milk to the first mixture. Blend in melted chocolate. Add Brazil nuts. Put in greased, small heatproof dish. Preheat Roaster to 375°. Place pudding on rack, bake 1 to 1¼ hours. Serves 5 to 6.

Cherry Pudding

11/2 cups sifted cake flour 1/2 cup milk

1/4 cup shortening, melted 1/4 teaspoon salt 1 teaspoon vanilla or almond 3 teaspoons baking powder

extract 3/4 cup sugar 1 cup sour cherries, drained 2 eggs, separated

Sift flour, measure, add baking powder, salt, ½ cup sugar and sift together three times. Beat egg yolks and combine with milk, melted shortening and the extract. Add liquids to flour all at once and beat until smooth. Fold in cherries, then the stiffly beaten egg whites to which the remaining sugar was added. Pour batter over sauce.

1/4 cup cold water 1 cup liquid from cherries 1 tablespoon shortening 11/2 tablespoons cornstarch 1/8 teaspoon almond extract 1/4 cup sugar

1 cup cherries Bring liquid from cherries to a boil. Combine cornstarch, sugar and cold water and add to the hot cherry juice. Stir constantly until sauce boils. Remove from heat and add shortening, extract and cherries. Cool. Pour into bottom of greased, small heatproof dish. Cover with pudding batter. Bake in preheated, 350° Roaster for 1 to 1¼ hours. Serve either hot or cold, top with whipped cream and garnish with individual cherries. If served cold, allow to cool before removing from dish.

QUANTITY COOKERY

This section provides a few recipes for quantity cooking which have been carefully tested by the Westinghouse Home Economics Institute. They are planned to serve fifty persons with suggested amounts for each portion; however, recipes which might serve adequate portions for fifty women may yield only thirty-five to forty portions of adequate servings for men.

Food to be held for some time will need to be more moist than foods to be served at once; so additional liquid may have to be added.

American Chop Suey (Number of Portions—50; Size of Portion—3/4 cup)

6 pounds of ground beef
3/4 cup lard or shortening
6 large onions, chopped
2 green peppers, chopped
4 tablespoons salt
5 cups rice
6 cups celery, chopped
10 cups canned tomatoes
2—4-ounce cans mushrooms
and juice (optional)

Preheat Roaster to 500°. Brown the beef in hot fat in enamel inset pan of Roaster with Roaster covered. Add remaining ingredients and cover. Set temperature at 400° and cook until all vegetables and rice are tender (about 45 minutes). Keep hot for serving at 150°.

Baked Beans (Number of Portions—50; Size of Portion—2/3 cup)

4 quarts beans, washed

Water—about 7 quarts

1 pound salt pork

4 large onions

2 cups molasses

2 cups brown sugar

4 tablespoons salt

1½ tablespoons dry mustard

Pick over beans and wash thoroughly. Place in enamel inset pan of Roaster-Oven. Cover with cold water and soak overnight. Simmer in same water with control set at 300°, with Roaster covered until skins pierce easily. (Do not boil.) Remove part of the rind from salt pork if thick and wipe off with a damp cloth. Bury salt pork, scored down to rind but not through rind, and onions, peeled and scored on top, in beans. Mix together the molasses, brown sugar, salt and mustard and pour over beans. Stir lightly with a long-handled fork or spoon, until mixed well. Turn control to 250° and cook 4 to 5 hours until beans are done. Add additional water, if necessary. Keep hot for serving at 150°.

Coffee

(Number of Portions-50)

1½ pounds drip grind coffee

10 quarts water

Heat water in enamel inset pan of Roaster with control set at 500° until boiling point is reached. Tie coffee loosely in cheese cloth and place in boiling water. Leave temperature control set at 500° and boil coffee until of desired strength. (Coffee may be placed in two cheese cloth bags if desired.)

Sauerkraut with Pig Hocks or Knuckles

(Number of Portions—50; Size of Portion—½ cup Sauerkraut)

16 pounds pig hocks or knuckles 2 No. 10 cans Sauerkraut

Boil the pig hocks, seasoned with salt and pepper until nearly tender (about three hours) in enamel inset pan of Roaster with just enough water to cover. Roaster covered. Set temperature control at 400° until boiling. Reduce to 350° and cook until tender. Add Sauerkraut and cook about 1 hour. Spareribs may be used instead of pig hocks.

Spaghetti and Meat (Number of Portions—50; Size of Portion—3/4 cup)

1 cup lard or shortening 2 teaspoons pepper

4 pounds ground beef 8 cups or 2 pounds uncooked

8 medium-size onions, chopped spaghetti, broken in 2-inch pieces

3 tablespoons salt 3 quarts tomato juice

8 cups catsup

Preheat Roaster-Oven to 500°, melt the lard or shortening in enamel inset pan. When fat is hot, add the meat and onions and brown until red color of meat is gone. Cover Roaster while meat is being browned. Add all remaining ingredients, stir slightly to mix well. Cover. Reset temperature control to 375° and cook for about 1¼ hours or until spaghetti is done.

Accessories



Cabinet on Casters

Provides handy place for Roaster-Oven. Convenient storage shelves.



Rotisserie

Most practical Rotisserie made... fits any Westinghouse Roaster. Big capacity.



Party Cart

Roll out the kitchen for meals on wheels! Fits Roaster or Rotisserie.

How to Use the Westinghouse Timer Clock



To connect... plug cord into wall outlet. Plug Roaster or other appliance into receptacle on back of clock.

To set... turn knob "A" clockwise until hands show correct time. Make sure time is right before using for automatic cooking.

To Operate Automatically

Push knob "B" and turn clockwise until hand is at time you wish cooking to stop. Push knob "C" and turn clockwise until hand is at time you wish cooking to start. Set Roaster-Oven Control to temperature called for in recipe. After cooking is finished, turn Roaster-Oven Control to

OFF..... then push in knob "D". CAUTION: Be sure knob "D" is pushed in when you want to start and stop Roaster-Oven cooking manually. Otherwise, Roaster-Oven will turn on only at starting time indicated on Timer Clock.

Infra-Red Broiler-Grid

(Optional Accessory) Model RG-541


Your Broiler-Grid Accessory makes the Roaster-Oven a complete, all-around cooking appliance, giving you the added advantages of electric infra-red broiling, fast grilling and frying and quantity toasting.

The Broiler-Grid consists of an aluminum grill or "grid", a reflector pan, which may also be used as a cookie sheet, and a heavy-duty heating element. Also includes adjustable broiler rack.


CAUTION: Always use the Broiler-Grid in the Roaster-Oven, never out of it. Use either the Broiler-Grid or the Roaster-Oven—NEVER CONNECT BOTH AT ONE TIME.

How to Attach Your Broiler-Grid

Place the wire Lift-Out Rack in the Roaster-Oven. Then, holding the Broiler-Grid in a slanting position, place the hinges at end of Grid on the bar as illustrated at right. Now lower the Grid by the handle and it will be firmly in place . . . ready for broiling just moments after you plug it in.



HOW TO BROIL WITH BROILER-GRID




1. Use Reflector Pan . . .

The Broiler-Grid should be used for broiling just as it is assembled when you receive it . . . that is, with the metal reflector in place underneath the heating coil.



2. Remove Roaster Cover . . .

Never use the cover of the Roaster-Oven when broiling or frying. After cooking process is complete, cover may be used to keep food warm.




Broiler Shelf (shipped with Grid) should be adjusted so food will be one to two inches from the heating coil. To do this, place end hooks of adjustable shelf over desired bar at each end of the Lift-Out Rack.



4. Attach Broiler-Grid . . .

Attach the cord supplied with the Roaster to the Broiler-Grid outlet first and then to any electrical wall outlet. The heating coil will heat instantly to the correct temperature. The broiler unit is not controlled by the Roaster-Oven heat control.

HOW TO FRY WITH BROILER-GRID



1. Remove Reflector Pan . . .

Press spring latch on the end nearest the handle to release the heating coil. Raise the heating coil slightly and remove the heat reflector plate, exposing the black, treated surface, which absorbs heat for faster, better frying. Replace heating coil in position, and you are ready to plug in your Broiler-Grid for frying. Note: Heat reflector pan is designed for use in your Roaster-Oven as a cookie sheet.



bobbbbb ;

2. Use Cup Under Drain . . .

For frying, place the Broiler-Grid on the lifting rack in the Roaster-Oven. Drippings will run through the small hole in the corner of the Grid. Any small container placed under this drain will save cleaning the inset pan.

3. Preheat for Frying . . .

Preheat the Grid 5 to 7 minutes before starting to fry, except for bacon, which is fried from a cold start. The special heat-absorbing compound on the bottom of the Grid enables it to heat quickly and evenly over the entire surface.

FOLLOW THESE EASY DIRECTIONS FOR CLEANING

Broiler-Grid should always be thoroughly cleaned as soon after using as it is cool. NEVER WASH THE HEATING COIL, as it is self-cleaning. Remove heating coil. If reflector pan is in place, remove it also. Wash cooking surface and reflector pan in warm, soapy water. Mild scouring powders or pads may be used. Dry and replace reflector pan and heating coil.

SPECIFICATIONS

MODEL RO-915

Your Westinghouse Roaster-Oven has been made to give you the utmost in service and satisfaction. The body has been specially treated to prevent rusting, then finished with two coats of Dulux enamel, baked on. The strong lid is 18-gauge aluminum. The heating element of the Roaster is 1320 watts, carefully constructed to provide even heat distribution throughout the interior of the Roaster to insure even browning. A thick blanket of insulation, compressed from 3 inches of "Fiberglas" around the sides and 4 inches on the bottom, does wonders for heat retention . . . heat stays in your Roaster and out of your kitchen.

The Broiler-Grid has a 1380-watt heating element for fast, efficient broiling. Both the Roaster-Oven and the Broiler-Grid plug into any 115-volt, a-c outlet.

For your protection, Westinghouse guarantees the Roaster-Oven for one year. You will find the complete guarantee below. This Roaster-Oven is listed by Underwriters' Laboratories, Inc.

WESTINGHOUSE ELECTRIC CORPORATION

Electric Appliance Division • Mansfield, Ohio

Printed in U.S.A.

5RO-1001

GUARANTEE

This Westinghouse Roaster-Oven is guaranteed to the original purchaser to be free from defects in workmanship and material.

Westinghouse will repair or replace defective parts which may develop under normal and proper use during a period of one year from date of sale to the original purchaser, provided the appliance is used on the voltage circuits marked on the name plate, and that it has not been subject to misuse or abuse.

Repair or replacement of any such defective parts shall constitute complete fulfillment of all of the obligations of Westinghouse with respect to the appliance. Any such repairs or replacements will be handled by the dealer from whom this appliance was originally purchased, or, by an authorized Westinghouse service organization.

WESTINGHOUSE ELECTRIC CORPORATION

YOU CAN BE SURE ... IF IT'S Westinghouse