

Every house needs
Westinghouse



AUTOMATIC IRONS

FOR BETTER. FASTER. SAFER "EFFORTLESS IRONING"

COOL FATIGUE-PROOF HANDLE

Sloping wood handle in black finish. Designed to eliminate arm or wrist strain.

FINGER TIP HEAT CONTROL

Clearly marked for every fabric. "Off" position on dial saves disconnecting cord.

TAPERED POINT

Gets into tucks, ruffles, gathers—gives greater visibility for easier ironing.

BEVELED BUTTON EDGE

Irons perfectly under buttons all around the iron. Gets around frogs and fasteners quickly and smoothly.

MIRROR-LIKE CHROME IRONING SURFACE

Extra-hard scratch resisting chrome finish makes iron almost self-gliding. No labored pushing.

UNDERWRITERS' APPROVED CORD

Six-foot detachable cord with soft rubber attachment plug, included with iron.

COOL RUBBER SLEEVE

Protects cord from wear or burnouts. Protects user's wrist from burns caused by touching hot plug.

STURDY ATTACHED HEEL STAND

Iron tilts back easily on broad, nontipping base. No complicated mechanism to operate.

STANDARD ADJUST-O-MATIC

6 Pounds, 700 Watts

This moderate priced automatic iron gives the user the advantages of accurate thermostatic heat control for every fabric, by means of handy finger tip fabric-marked lever. Operates famous Spencer Disc Thermostat, built into base of iron, close to ironing surface to give accurate heat control. Saves money, uses current only as needed. Protects against scorching and fire hazard. Approved by Underwriters' Laboratories.

CATALOG NUMBER: LR-24

Specifications: 115 volts, 6 pounds, 700 watts. Shipping weight, 7 pounds. Standard package, 12. Includes detachable cord and soft rubber attachment plug. For A-C. operation only.

NONAUTOMATIC IRON


A low-priced, nonautomatic iron. "Fatigue-proof" sloping wood handle; extra hard, chrome finish cast iron base assures smooth ironing. Beveled button edge, tapered toe enables iron to get under buttons anywhere. Even distribution of heat over entire base. Approved by Underwriters' Laboratories.

CATALOG NUMBER: CHC-54

Specifications: 115 volts, 6 pounds, 550 watts. Shipping weight, 7 pounds. Standard package, 12. Includes detachable cord and soft rubber plug. For A-C. or D-C. operation.

PLUS FEATURES of All Westinghouse Irons

- Long-life Heating Elements—of finest quality ribbon nickel chrome, hand-wound on genuine Mica base.
- Perfect Balance Between Weight and Wattage—to give the utmost in scientific, even heating and proper heat control.
- Long-life, Silver Surfaced Monel Plug Contacts—protect against burnouts.
- Extra Hard Cast Iron Sole Plates—with mirror-like chrome finish.
- Underwriters' Approved Cord—with cool rubber sleeve guard.




Every house needs
Westinghouse



HOT PLATES

MODERN STREAMLINE DESIGN — EASILY PORTABLE



BIG ACID-RESISTING PORCELAIN TOP

241 square inches usable surface; two coats of gleaming white porcelain enamel. Will not discolor. Easily cleaned with damp cloth.

ATTRACTIVE STREAMLINE DESIGN

Fits into the most modern kitchen surroundings. Completely enclosed body; 23" x 10½" x 6" (height from table).

SIX HEATS— TWO 3-HEAT UNITS

Quick heating range-type open coil elements; each 6½" in diameter. Refractory brick retains heat after current is shut off, saves electricity.

ROUNDED CORNERS

Will not chip or crack. Add to streamlined beauty. Easy to clean. Will not tear clothing.

ONE-PIECE WELDED STEEL BODY

Wrap-around body of heavy gauge steel. Completely enclosed, no cracks or crevices. Easy to clean. Rust-resisting.

TWO 4-POSITION SWITCHES

Long wearing, range type. Wide choice of cooking temperatures. Each switch turns to three separate heats and "off." Saves disconnecting cord. Plugs in any outlet.

HEAT DEFLECTOR ON BOTTOM

Protects table tops from heat. Scratch-proof wood feet.

TWO-UNIT HOT PLATE

Electric Surface Cooking . . . Fast . Safe . Dependable
Plugs into Any Outlet . . . Easily Portable


USES: Provides safe, clean, convenient surface cooking. Also ideal as an auxiliary cooking unit in any home, or for laundry use. Easily portable. Keeps kitchen cool. Uses little current. Plugs in any outlet. Fine for farm homes. Approved by Underwriters' Laboratories.

CATALOG NUMBER: PH-204

Specifications: Two 3-heat units. Right unit: 650 watts on "high," 325 watts on "medium," 163 watts on "low." Left unit: 1000 watts on "high," 500 watts on "medium," 250 watts on "low." Permanently attached heavy-duty cord, approved by Underwriters' Laboratories. A-C. only. Plugs in any outlet. Shipping weight, 19 pounds. Standard package, one.

RANGE TYPE 3-HEAT ROTARY SWITCHES

Plainly marked for each heat—positive acting, same as used on the famous Westinghouse Electric Ranges.



PLUS FEATURES

(Both Two-Unit and Standard Models)

- Smart, Modern Streamlined Design fits any surroundings.
- Range Type Rotary Switches—positive acting, trouble-free.
- Gleaming White Porcelain Top easy to clean.
- Plugs Into Any Electric Outlet. No special wiring. Keeps kitchen cool. Uses little current.
- Sturdy Construction, assures long life under most severe service.
- Extra-Long Porcelain Top, measures 23" x 10½" x 6½" high.
- Easily Portable, provides sure, clean, convenient cooking units wherever needed.


DELUXE HOT PLATE

One "Corox" and One Enclosed Type Unit

One 6-inch Corox Economizer unit with a range from 1150 watts on "high," 575 watts "medium," 287 watts "low," 120 watts on "simmer" position. One enclosed type, 4-inch unit, 400 watts. 5-position rotary switch for Corox unit (high, medium, low, simmer, off) and "on and off" toggle type switch for closed unit.

CATALOG NUMBER: PH-184

Specifications: Permanently attached heavy-duty cord, approved by Underwriters' Laboratories. Plugs into any outlet. A-C. only. Shipping weight, 19 pounds. Standard package, one.



Every house needs
Westinghouse




CORD SETS

ELIMINATE INCONVENIENCE OF UNPLUGGING
CORD FROM HEATED APPLIANCES



EASILY ATTACHED OR DETACHED WITH ONE HAND

Just press the button, and cord is easily attached or detached with one hand, without pulling and tugging or danger of burned fingers.



FITS ANY STANDARD TABLE APPLIANCE

Available in two sizes (miniature and standard) as shown below—to fit all standard table appliances.

EASY-ON-AND-OFF CORD SETS

Miniature and Standard Sizes

These cords eliminate the inconvenience that often results in unplugging the cord from a heated appliance. By a slight finger pressure on the button, the cord is easily attached or detached with one hand, without pulling and tugging or danger of burned fingers.


Individually packed in cellophane window containers. Approved by Underwriters' Laboratories.



PACKED IN 12-CARTON MERCHANDISER

Attractive lithographed carton containing 12 individually packed sets. Opens up into self-selling counter merchandiser.

Miniature Cord Sets ("Pinchie")
Carton of 12.....Catalog No. M-117
Standard Cord Sets ("Squeezie")
Carton of 12.....Catalog No. M-127




"PINCHIE" MINIATURE CORD SET

Fits any standard table appliance. Brown rayon cord covering with white tracer, 6 feet long, 3000 cycles. Brown bakelite plug.

CATALOG NO. M-117 (CARTON OF 12)

Packed in individual cartons. Standard package is carton merchandiser containing 12 sets. Shipping weight, 5 pounds.



"SQUEEZIE" STANDARD CORD SET

Fits standard irons and older table appliances. Glazed cotton-covered cord with white tracers, 6 feet long, 3000 cycles. Plug parts of black Bakelite.

CATALOG NO. M-127 (CARTON OF 12)

Packed in individual cartons. Standard package is carton merchandiser containing 12 sets. Shipping weight, 8 pounds.

Every house needs
Westinghouse



HEATING PADS

SAFE, SOOTHING HEAT FOR ALL ACES AND PAINS

PACKED IN DISPLAY CONTAINER

Cellophane window shows pad to advantage, and at the same time protects it from soiling.

LONG RUBBER COVERED CORD

Plugs into any convenience outlet. Rubber covering keeps moisture out—assures greater safety. Generous 8 foot length for greater convenience.

TWO EXTRA SLIP COVERS

A separate lined cover to keep the pad clean. Also a rubberized slip cover to keep the pad dry when used with wet dressings, poultices, etc.

WESTINGHOUSE

Adjust-o-matic

FOUR THERMOSTATS

... maintain selected temperatures automatically—*exactly* at 120° on Low setting, *exactly* 150° at Medium setting and *exactly* 180° at High setting.

FOUR ADJUSTMENT SWITCH

High, medium, low and off positions. Switch levers have different shapes for heat adjustment in the dark by sense of touch.

REMOVABLE TERRY CLOTH COVER

is rust colored with white trim. Soft, comfortable, good-looking, light and washable. Easily removed by rust-proof slide fastener.

PLUS FEATURES

- **Even Heat, No "Hot Spots"**—Heating element is anchored into all-over position. Cannot "gather." Assures even heat distribution.
- **Comfort and Warmth**—Assured by flexible asbestos insulation over finest nickel chrome heating element. Provides long life. Safe dependable operation and perfect heat distribution.
- **Each Pad Thermostatically Protected** against dangerous overheating.
- **Non-Radio Interfering Thermostats** are made of non-corrosive bi-metal; accurate control of heat maintains selected temperatures.
- **Four Position Switch in Cord** (High, low, medium, off) gives positive instant choice of degree of warmth desired.
- **Approved by Underwriters' Laboratories.**
- **AC or DC operation.**

ADJUST-O-MATIC HEATING PAD

WET-PROOF! FIRE-PROOF!

USES: Supplants the old-fashioned hot water bottle in providing therapeutic heat applications—with healthful, constant, dry heat. Four separate thermostats give positive temperature control—maximum safety and assurance of maintained heat. Light, soothing, handy, comfortable—ready for instant use whenever and wherever heat is needed. Approved by Underwriters' Laboratories.

CATALOG NUMBER WP-224

Specifications: Size of pad 12 by 15 inches, 95-125 volts, 60 watts. Includes 3-heat switch in 8½ foot attached cord. Shipping weight, 2 pounds. Standard package, four.

← DE LUXE 3 HEAT

Packed in Individual
Display Carton

Chenille cover in attractive blue shade. Positive acting four-position switch in cord provides operation at low, medium and high. Two extra removable covers. Washable muslin cover—for practicability and waterproof sack for wet applications.

CATALOG
NUMBER:
WP-214

95-125 volts, 60 watts. Includes 4-position switch in 8½ foot rubber covered attached cord. Shipping weight, 2 pounds. Standard package, twelve.



← STANDARD 3 HEAT

Packed in Individual
Display Carton

A dependable 3-heat pad with soft eiderdown cover in delicate green shade. Three-heat switch in cord provides operation at low, medium and high.

CATALOG NUMBER: WP-204

95-125 volts, 60 watts. Includes 3-heat switch in 8½ foot rubber covered cord. Shipping weight, 1½ pounds. Standard package, twelve.




Every house needs
Westinghouse



ROOM HEATERS

PORTABLE • CLEAN • SAFE • CONVENIENT



14-INCH CHROME REFLECTOR

throws heat farther. Scientifically designed to direct heat *where* you want it. Easy to clean, tarnish-proof chrome finish.

LONG CORD

is permanently attached—eliminates broken plugs. Plugs into any convenient outlet—A.C. or D.C. Cool "easy-lift" handle on back of reflector.

STURDY WEIGHTED BASE

prevents overturning. Gives heater better balance and greater safety.

MAXIMUM HEAT

from every watt of current assured by scientifically designed, 800 watt, coil type heating element.

REMOVABLE, WELDED-STEEL GUARD

for easy cleaning. Extra strong construction protects heater from damage in case of tipping.

REFLECTOR ADJUSTABLE

to radiate the heat at any desired angle. Throws the heat *where* you want it.

PLUS FEATURES

- **Cool Carrying Handle**—on back of reflector, for easy portability.
- **Reflector Head Tilts**—to any desired angle.
- **Wire Guard Removable**—for easy cleaning.
- **Coil-Type Element**—produces health-giving infrared rays.
- **Permanently Attached Heavy Duty Cord.**
- **Chrome-plated Reflector**—easy to clean.


COZY GLOW HEATER

USES: This attractive heater gives *quick* heat—speedily transforming a chilly bedroom, cold bathroom or draughty breakfast nook into a warm comfortable place. Easily portable, it can be used to furnish instant heat wherever desired. To blanket everything in its path with soothing, comforting warmth, an 800-watt straight coil-type element is used in this heater. Produces health-giving infrared rays. Attached Underwriters' approved cord included.

CATALOG NUMBER: ZR-44, 115 VOLTS*


Specifications: 800 watts. Includes attached 6-foot cord and plug. Shipping weight, 7½ pounds. Standard package, 6.

*For other voltages, see cost sheet.



IN THE BATHROOM

Instant heat on chilly days protects children against draughts and helps prevent colds.



THROUGHOUT THE HOUSE

Easily portable, this attractive heater may be used to eliminate "cold spots" anywhere in the house.

Westinghouse Press
Printed in U.S.A.

ELECTRICAL HOUSEHOLD APPLIANCES

Retail Price Sheet

Effective September 1, 1940

Page No.	Appliance	Catalog or Model No.	Retail Price
BLENDERS—Waring			
11	Waring Standard Model ...	SS	\$19.95
11	Waring Deluxe Model	B	29.75
BOTTLE WARMERS			
11	Hankcraft Special Model .	775-B	1.00
11	Hankcraft Standard Model	673-B	2.95
11	Hankcraft Set	7751-B	2.50
11	Hankcraft Sterilizer	872	5.00
CHIMES—Prices Upon Application			
CLEANERS—Vacuum—Prices Upon Application			
CLOCKS			
25	Westclox Andover ..	865	4.95
25	Westclox Baby Ben .	900 (Ivory)	3.95
		905 (Lum. Ivory)	4.95
25	Westclox Bachelor ..	873 (Blue)	3.95
		879 (Ivory)	3.95
		877 (Lum. Ivory)	4.95
25	Westclox Belfast ...	833 (Ivory)	2.95
		833 (Red)	2.95
		833 (Green)	2.95
25	Westclox Big Ben ...	880 (Black)	4.95
		885 (Lum. Black)	5.95
		882 (Ivory)	4.95
		886 (Lum. Ivory)	5.95
25	Westclox Country Club	814 (Maroon)	2.50
		815 (Lum. Ivory)	3.45
25	Westclox Manor	807 (Ivory)	3.50
		808 (Ivory & Black)	3.50
		809 (White & Red)	3.50
		810 (Ivory & Green)	3.50
25	Westclox Orb	868	2.95
25	Westclox Pittsfield ..	871	5.95
25	Westclox Silent Knight	826 (Black)	3.45
25	Westclox Silent Knight	827 (Ivory)	3.45
27	Seth Thomas Capstan 1-E ...		9.95
27	Seth Thomas Chaumont ...		9.95
26	Seth Thomas Colten 2-E ...		13.95
27	Seth Thomas Console 6-E ...		17.50
26	Seth Thomas Council-3 ...		9.95
26	Seth Thomas Echo 2A (Plain)		5.95
26	Seth Thomas Echo 2A (Luminous)		6.95
26	Seth Thomas Essex		7.95
26	Seth Thomas Falsbury 2-E ...		25.00
26	Seth Thomas Fenbury 1-E		27.50
27	Seth Thomas Janet 4-E ...		5.95
27	Seth Thomas Janet 5-E ...		5.95
27	Seth Thomas Laurel 1-A ...		6.95
26	Seth Thomas Manager 1 ...		8.95
26	Seth Thomas Manager 2 ...		9.95
26	Seth Thomas Manager 3 (Inside)		14.95
27	Seth Thomas Medbury 2-E ...		27.50
27	Seth Thomas Saybrook ...		15.00
26	Seth Thomas Spray		4.95
27	Seth Thomas Stellar 1-E ...		15.00
26	Seth Thomas Talson 3-E ...		9.75
27	Seth Thomas Vista		12.50
26	Seth Thomas Yukon 1-E ...		6.95
COFFEE AND TEA MAKERS			
9	Deluxe (10-Cup)	PM-104	5.95
9	Standard (7-Cup)	PM-94	4.95
CORD SETS			
12	Bryant Cord Set	HC-630-G	68.50
12	Hemco Cord Set	HR0618	38.50
12	"Pinchie" Cord Set	M-117	.75
12	"Squeeze" Cord Set	M-127	.95
DISHWASHERS—Prices Upon Application			
EGG COOKERS AND SETS			
11	Hankcraft Egg Service Set	880	9.50
11	Hankcraft Egg Service Set	800B	3.95
11	Hankcraft Egg Service Set	8151	6.95
11	Hankcraft Egg Cooker ...	815	3.95
11	Hankcraft Egg Cooker ...	794-B	1.95
FANS—Prices Upon Application			
FOOD MIXERS			
10	Hamilton Beach (with juice extractor)		23.75
10	Hamilton Beach (without juice extractor)	Model E	21.00
10	*Slicer and Shredder		4.00
10	*Meat Grinder and Chopper		3.75
10	Power Unit		4.50
10	Coffee Grinder		3.50
10	Pea Huller and Bean Slicer		2.45
10	Potato Peeler		8.00

*Power Unit Required

Page No.	Appliance	Catalog or Model No.	Retail Price
HAIR DRYERS			
43	Hamilton Beach Hair Dryer	Model 5	7.95
43	Hamilton Beach Hair Dryer (with stand)	Model 3	14.00
43	Hamilton Beach Hair Dryer (without stand)	Model 3	12.75
HOT PLATES			
8	Two Unit Hot Plate	PH-204	9.95
8	Deluxe Hot Plate	PH-184	16.95
IRONERS—Prices Upon Application			
IRONS—Folding			
42	Durabilt Folding Iron	181	3.95
42	Durabilt Folding Iron	189-B	2.98
42	Durabilt Folding Iron	191	5.95
42	Durabilt Iron and Sewing Kit	1191	7.95
42	Durabilt Folding Iron	185	4.95
42	Durabilt Folding Iron	183	5.95
IRONS—Hand			
3	Streamline Adjust-o-matic	LPC-4	8.95
3	Pacemaker Adjust-o-matic	LT-4	6.95
3	Standard Adjust-o-matic (AC)	LR-24	5.95
3	Standard Adjust-o-matic (AC-DC)	LR-34	5.95
3	Non-Automatic	CHC-54	2.95
KITCHENS—(All-electric) Information and Prices Upon Application			
LAMPS—Christmas			
35	Christmas Bells	300	2.50
35	Christmas Bells	301	4.00
35	Christmas Bells	302	6.00
35	Christmas Bells	303	6.00
35	Christmas Bells	304	7.50
35	Christmas Bells	305	8.00
35	Christmas Bells	306	10.00
35	Christmas Bells	307	1.35
35	8-light Series Set	110	.75
35	7-light Multiple Set	3010	1.20
35	7-light Multiple Outdoor Set	3005	1.65
35	12" Krome Outdoor Wreath	1112	1.00
35	Tree Holder	174	2.50
35	15-light Straight Set	3415	2.60
35	Candolier	198	3.50
LAMPS—Esrobert			
38	Desk Lamp	ES-149	4.50
38	Desk Lamp	ES-3094	10.00
38	Desk Lamp	ES-468	12.00
38	Desk Lamp	ES-3093	10.00
38	Desk Lamp	ES-3093	9.50
39	Desk Lamp (Bronze or Green Finish)	ES-1591	1.35
39	Desk Lamp (Chromium Finish)	ES-1591	2.10
39	Desk Lamp	ES-2223	5.00
39	Desk Lamp	ES-2207	15.75
39	Desk Lamp (Bronze and Gold Finish)	ES-2242	11.00
39	Desk Lamp (Chrome with Bronze or Copper Shade)	ES-2242	12.00
39	Desk Lamp	ES-1989	11.00
38	Floor Lamp (14" parchment shade) ..	ES-1935	17.50
38	Floor Lamp (14" metal shade)	ES-1935	18.50
38	Floor Lamp (Brushed Brass Finish) .	ES-2042	6.50
38	Floor Lamp (Statuary Bronze Finish)	ES-2042	7.50
39	Sun Lamp	ES-2404	29.95
39	Heatolite	ES-5025	3.00
39	Heatolite Stand Model ...	ES-5028	9.50
38	Fluorescent Floor Lamp ..	ES-3031	18.00
LAMPS—Mitchell			
36	Floor Lamp	10	13.95
36	Floor Lamp	14	18.95
36	Floor Lamp	13	15.95
37	Floor Lamp	18	19.95
37	Floor Lamp	28	29.95
37	Floor Lamp	22	20.95
37	Floor Lamp	21	20.95
37	Floor Lamp (3-way)	8047	16.45
36	Floor Lamp (3-way)	8043	11.45
36	Floor Lamp (3-way)	8045	12.45
36	Extendo Floor Lamp	8044	15.45
37	Extendo Floor Lamp	8046	18.95
37	Extendo Floor Lamp	34	21.95
36	Floor Lamp	8042	10.95

Prices Subject to Change Without Notice.

ELECTRICAL HOUSEHOLD APPLIANCES

Page No.	Appliance	Catalog or Model No.	Retail Price
36	Floor Lamp	8041	9.95
37	Floor Lamp	31	17.95
37	Floor Lamp	32	19.95
37	Desk or Table Lamp	41	12.95
37	Desk or Table Lamp	40	9.95
36	Desk or Table Lamp	8040	5.45
37	Torchier Lamp	37	18.95
36	Clamp-on Desk Lamp (Fluorescent)	2001	12.50
36	Fluorescent Desk Lamp ..	2006	9.95
37	Fluorescent Desk Lamp ..	2002	7.95
37	Fluorescent Kitchen Adapter Unit	2009	9.95

LAMPS—Mazda—110-120 Volts

33	Standard Inside Frosted Mazda Lamps—15 and 25 Watt10
	40-50-60 Watts13
	75-100 Watts15
	150 Watts20
33	Fluorescent, Lumiline, Decorative, etc. (See Westinghouse Price Catalogs)		

LAMPS—Vision-Aids

34	Adapter Unit	1510	2.49
34	Adapter Unit	1530	3.79
34	Adapter Unit	100	.99
34	Adapter Unit	1520	3.19
34	Adapter Unit (Ivory)	600	.42
34	Adapter Unit (Bronze) ...	601	.42
34	Adapter Unit (Plastic and Gold)	603	.62
34	Adapter Unit (Plastic and Silver)	604	.62
34	Adapter Unit (Silver)	605	.42
34	Dining Room Fixture	2010W	15.95
34	Indirect Lighting Fixture ..	1540W	7.79
34	Indirect Lighting Fixture ..	1560W	7.49

LAMPS—Wall—LaSalle

40	Adjustable Walllamp (Antique White)	R-726	4.00
40	Adjustable Walllamp (Silk Shade)	R-727	5.00
40	Kitchen Walllamp	R-650	2.25
40	Walllamp	RB-580	2.50
40	Pull-chain Walllamp	RB-720	2.25
40	Tiller Wheel Walllamp	RB-430	3.50
40	Hobnail Font Walllamp	RB-680	2.50
40	Pull-chain Walllamp	R-590	3.00
40	Flower Pot Walllamp	R-595	2.50
40	Schooner Walllamp	RB-605	4.50
41	Special Non-Bowl Walllamp ..	R-555	1.25
41	Special Non-Bowl Walllamp ..	R-370	1.25
41	18th Century Walllamp	RB-645	3.00
41	Glass Back Walllamp	RB-455	3.00
41	Flower Bouquet Walllamp ..	R-660	2.25
41	Federal Style Walllamp	RB-675	3.00
41	Flower Print Walllamp	RB-665	3.50
41	Two Position Walllamp	RB-610	3.50
41	Crystal Back Walllamp	RB-670	3.00
41	Clock Walllamp	RB-600	9.00

PERCOLATORS

9	10-Cup Chrome	PG-24A	9.95
9	8-Cup Chrome	PG-14A	7.95
9	7-Cup Chrome	PG-34	5.95
9	3-Cup Aluminum	PNA-44	1.95

RADIOS—Prices Upon Application

RANGES—Prices Upon Application

REFRIGERATORS—Prices Upon Application

ROASTERS

4	Electric Roaster Oven, 18 qt. (includes ovenware dish set)	RRA-84	24.95
4	Standard Electric Roaster, 16 qt. (with dish set) ..	RRS-14	19.95
4	Roaster Cabinet	40RC-1	6.95
4	Broiler Grid (for RRA-84) 1620 watts	RT-34-B	4.95
4	Broiler Grid (for RRA-84) 1320 watts	RT-44-B	4.95
4	Broiler Grid (for RRA-14-B) 1620 watts ..	RT-4	4.00

ROOM COOLERS—Prices Upon Application

ROOM HEATERS

12	Cozy Glow Heater	ZR-44	3.95
----	------------------------	-------	------

SANDWICH GRILLS

8	Automatic Sandwich Grill ..	STC-54	9.95
8	Non-automatic Sandwich Grill	STC-44	6.95
8	Waffle Grids for STC-54 and STC-44	STW-2	2.00

Page No.	Appliance	Catalog or Model No.	Retail Price
SEWING MACHINES—Free—Westinghouse—Prices Upon Application			

SEWING MACHINE MOTOR

43	Hamilton Beach Home Sewing Motor	12.50
----	---------------------------------------	-------	-------

SHAVERS

45	Remington Dual Shaver ..	Model 70	15.75
45	Remington Triple Header ..	Model 77	17.50
45	Rand Close Shaver	Model 40	7.50
45	Speedak Close Shaver	Model 80	10.00
45	Remington Duchess	Model 66	12.75

STERILIZERS

11	Hankscraft Bottle Sterilizer	872	5.00
----	------------------------------------	-----	------

TOASTERS

7	Toastmaster Deluxe Hospitality Set	6B8	23.95
7	Toastmaster Standard Hospitality Set	6C5	19.95
7	Toastmaster Deluxe Toast'n Jam Set	6D3	17.95
7	Toastmaster Deluxe Toast'n Jam Set	6E2	8.50
7	Toastmaster 2-slice Toaster	1B10	7.50
7	Toastmaster 1-slice Toaster	1A5	9.95
7	Toastmaster 2-slice Toaster	1B9	16.00
6	Westinghouse Oven Type "Pop-up" Automatic ...	TK-24	12.95
6	Westinghouse Oven Type Signaling Automatic ...	TK-14	9.95
6	Westinghouse Turn-Over Signaling Automatic ...	TLA-14	3.95
6	Westinghouse Turn-Over Non-automatic	TL-14	2.95

VENTILATORS—(All A.C. 110 v only)

ILG Portable Adjustable Kitchen Ventilators			
23	Portable Ilgette (26"-36" panel size)	21.75
23	Portable Ilgette (36"-46" panel size)	21.75
23	Portable Ilgair (26"-36" panel size)	31.50
23	Portable Ilgair (36"-46" panel size)	31.50
23	Built-In Ilgette	33.00
23	Automatic Built-In Ilgette	46.90
23	Automatic Built-In Ilgette	46.88
23	Built-In Ilgair	42.75
23	Ilgwind Attic Fan	Model 271	108.00
23	Ilgwind Attic Fan	Model 331	134.25
23	Ilg-Rollaire Fan	99.00

Filter Type Window Ventilators

23	Ilgairator (24"-26" panel size)	46.13
23	Ilgairator (26"-30" panel size)	40.50
23	Ilgairator (30"-36" panel size)	40.50
23	Ilgairator (36"-45" panel size)	40.50
23	Ilgairator (45"-58" panel size)	46.13
23	Ilgairator (58"-78" panel size)	53.63

VIBRATORS

42	Vibrosage Vibrator Set	6.50
43	Hamilton Beach Vibrator..	Type D	13.50
43	Hamilton Beach Vibrator..	Type F	13.50
43	Hamilton Beach Vibrator..	Type K	9.85
43	Hamilton Beach Vibro-Massager	Type A	9.85

WAFFLE BAKERS

7	Toastmaster Waffle Baker ..	2D2	12.95
7	Toastmaster Waffle Service Set	6F1	16.95
5	Westinghouse Adjust-o-matic Waffle Baker	WSA-24	8.95
5	Westinghouse Heat-Indicating Waffle Baker ..	WF-24	5.95
5	Westinghouse Twin Waffle Baker	WFT-14	8.95

WARMING PADS

44	Adjust-o-matic Pad	WP-224	6.95
44	Deluxe 3-heat Pad	WP-214	4.95
44	Standard 3-heat Pad	WP-204	2.95

WASHERS—Prices Upon Application

WATER HEATERS—Prices Upon Application

WIRING DEVICES—See Bryant and Hemco Wiring Device Catalog No. 37)